

WALLY9 - Medical silicone keyboard for wall mounting



Key Features



- Ergonomic design
- Completely waterproof and dustproof IP65
- fully washable and disinfectable
- almost joint-free surfaces
- Surface resistant to disinfectants
- Comfortable operation, low noise typing
- EMC tested according to standard EN 60601-1-2
- Integrated high resolution touchpad
- CleanLock function
- CleanRemind function
- Infinitely adjustable torsion hinge
- integrated cable routing due to the hinge

Technical Spezifications

Key technology: Silicon contact technology (carbon pills on gold contact)

Number of Keys: 105 (incl. 12 F-keys)

Casing: Milled from AlMg3 surface naturally anodized

Hinge: Torsion hinge IP65 surface naturally anodized, WS22

Degree of protection: IP65 (NEMA 4, 4X)

Key travel:
Actuation force:

Switching reliability:

1.25 mm
1.2 N

Interface: approx. 2 million actuations

Power supply: USI

Operating temperatur: Keyboard 20mA @ 5V / touchpad 6mA @ 5V

Humidity: $0 \degree \text{C to} + 60 \degree \text{C}$

Approvals: up to 100% non-condensing

CE, FCC Part 15 Class B, EN 60601-1-2

Versions

WALLY9 standard, german layout | Art.No. WALLY9-MP-UB-D-MED WALLY9 standard, english layout | Art.No. WALLY9-MP-UB-US-MED WALLY9 incl. mouse pad german layout | Art.No. WALLY9-MP-UB-MA-D-MED WALLY9 incl. mouse pad US / english layout | Art.No. WALLY9-MP-UB-MA-US-MED

Accessories

Mounting set consisting of: 6x screws M6x16 VA Tx30 2x reinforcement plate 2mm VA with edging

Perfekt in Farbe, Form, Funktion






Our information does not release the customer from checking the suitability for the intended area of application. We reserve the right to make technical changes at any time without prior notice. Any liability in connection with technical application advice is excluded. The output of this form is not registered and is therefore not subject to the change service. Therefore, please always check whether the latest edition is available.

Perfekt in Farbe, Form, Funktion





Abb.: WALLY9-MP-UB-MA-D-MED



Our information does not release the customer from checking the suitability for the intended area of application. We reserve the right to make technical changes at any time without prior notice. Any liability in connection with technical application advice is excluded. The output of this form is not registered and is therefore not subject to the change service. Therefore, please always check whether the latest edition is available.